





BEDDING DETAIL FOR ALL PROPOSED SEWERS

N.T.S.

PLAN LEGEND



LOT LEGEND

ROLL No.	OWNERSHIP	HECTARES OWNED
1) 1-223-06	R. WALL	0.10
2) 1-238	M. TILLOTSON	0.15
3) 1-230	G. WIEBE	0.29
4) 1-246-01	H. REDECOP	0.21
5) 1-246	H. CLARK	0.18
6) 1-247	P. PACE	0.36
7) 1-248	C. & S. LONGSTAFF	0.15
8) 2-049-Part 1	J. NEZEZON	0.29
9) 2-049-Part 2	J. NEZEZON	0.29
10) 2-049-Part 3	J. NEZEZON	0.29
11) 2-049-Part 4	J. NEZEZON	0.30
12) 2-009	EDISON CEMETERY	0.20
13) 2-049-20-Part 1	H. REDECOP	0.25
14) 2-049-20-Part 2	H. REDECOP	0.25
15) 2-049-20-Part 3	H. REDECOP	0.28
16) 2-049-20-Part 4	H. REDECOP	0.36
17) 2-049-20-Part 5	H. REDECOP	0.36
18) 2-049-20-Part 6	H. REDECOP	0.18
19) 2-049-20-Part 7	H. REDECOP	0.18
20) 2-049-20-Part 8	H. REDECOP	0.24

GENERAL NOTES

- 1/ OUR SPECIFICATIONS DATED JANUARY 2020 APPLY TO THIS PROJECT.
- 2/ THE WORKING WIDTH AVAILABLE TO THE CONTRACTOR TO CONSTRUCT THE NEW DRAINS SHALL CONSIST OF THOSE LANDS IMMEDIATELY ADJACENT TO THE DRAIN AND CONNECTIONS AND SHALL NOT EXCEED THE FOLLOWING AVERAGE WIDTHS:

CLOSED PORTIONS - 20 meters
CLOSED PORTIONS (THROUGH BUSH) - 30 meters (CENTERED ON THE DRAIN)
THE WORKING WIDTH FOR PURPOSES OF FUTURE MAINTENANCE SHALL BE THE SAME AS ABOVE EXCEPT FOR CLOSED PORTIONS (NOT THROUGH BUSH) SHALL BE 10m.
- 3/ ALL OWNERS ALONG THE COURSE OF THE DRAIN SHALL MAKE AN ACCESS ROUTE FROM THE NEAREST ROAD TO THE DRAIN LOCATION AVAILABLE TO THE CONTRACTOR THE AVERAGE WIDTH OF THIS ROUTE SHALL NOT EXCEED 8 METERS. THE ACCESS ROUTE SHALL ALSO APPLY FOR FUTURE MAINTENANCE PURPOSES.

a) ALL UTILITIES TO BE LOCATED AND EXPOSED PRIOR TO CONSTRUCTION SO THAT THE NEW TILE GRADES CAN BE CONFIRMED. IF THERE IS A CONFLICT IN ELEVATION BETWEEN THE PROPOSED DRAIN AND THE UTILITY, THE ENGINEER IS TO BE NOTIFIED IMMEDIATELY.
b) CONTRACTOR TO NOTIFY ALL UTILITIES 12 HOURS PRIOR TO HIS SCHEDULED TIME FOR STARTING THE ABOVE WORK.
c) THE COST FOR THIS WORK SHALL BE INCLUDED IN THE ITEM ON THE EXTENT OF WORK AND NO EXTRA PAYMENT SHALL BE MADE TO THE CONTRACTOR, EXCEPT IF ROAD RESTORATION IS REQUIRED.
- 5/ ALL TREES, SCRUB, BRUSH, ETC. TO BE CLEARED AND GRUBBED IN ACCORDANCE WITH "SECTION B.3 AND C.4" SPECIFICATIONS.
- 6/ RIP-RAP TO BE SUPPLIED AND INSTALLED IN ACCORDANCE WITH "SECTION A.12" IN THE SPECIFICATIONS.
- 7/ LAWN AREAS TO BE RESTORED WITH GRASS SEED IN ACCORDANCE WITH "SECTIONS A.14 SUBSECTIONS 1, 2 & 4" IN THE SPECIFICATION WITH THE FOLLOWING APPLICATION RATES:

55% CREEPING RED FESCUE
21% KENTUCKY BLUE GRASS
15% PERENNIAL RYEGRASS
3% WHITE CLOVER
ITALIAN (ANNUAL) RYEGRASS
8 - 32 - 16

NURSE CROP (40 kg/ha)
FERTILIZER (300 kg/ha)
- 8/ CONTRACTOR TO ARRANGE A PRE-CONSTRUCTION MEETING WITH THE ENGINEER, DRAINAGE SUPERINTENDENT, AND THE AFFECTED OWNERS. ALL PARTIES SHALL RECEIVE 48 HOURS NOTICE TO THE MEETING.

CLOSED PORTIONS

- 9/ SEWER PIPE TO BE CONCRETE, H. D. P. E. PLASTIC 320 KPA (BELL & SPIGOT WITH RUBBER GASKETS CONFORMING TO C.S.A. 1016-08), PVC ULTRA RIB OR PVC SDR 35
- 10/ EXISTING TILE DRAINS TO BE EXPOSED IN AS MANY LOCATIONS AS ARE NECESSARY TO CONFIRM THEIR EXACT LOCATION AND ELEVATION PRIOR TO CONSTRUCTION. EXACT LOCATION OF NEW TILE DRAINS THEN TO BE CONFIRMED BY DRAINAGE SUPERINTENDENT OR ENGINEER.
- 11/ a) INSTALLATION OF TILE AND TRENCH WIDTHS SHALL BE IN ACCORDANCE WITH "SECTION C - TILE DRAIN" IN THE SPECIFICATIONS.
b) ALL CONCRETE TILE AND TILE-PIPE JOINTS TO BE WRAPPED WITH GEOTEXTILE IN ACCORDANCE WITH "SECTION C.8" IN THE SPECIFICATIONS.
c) NO CONSTRUCTION EQUIPMENT OR FARM MACHINERY SHALL CROSS OVER THE MOUNDED BACKFILLED TILE TRENCHES UNTIL SUFFICIENT SETTLEMENT HAS OCCURRED.
d) STRIP AND STOCKPILE TOPSOIL FROM CONSTRUCTION AREA (4 metre width) FOR ENTIRE LENGTH OF NEW DRAIN (EXCEPT LANEWAYS & ROADS). EXCESS SPOIL TO BE LEVELLED AND TOPSOIL RELEVELLED OVER SPOIL, MOUNDED TRENCH AND REMAINING CONSTRUCTION AREA.
- 12/ a) THE CONTRACTOR SHALL ENSURE THAT ALL TRIBUTARY DRAINS ARE CONNECTED DURING TIME OF CONSTRUCTION. ANY MISSED TILE CONNECTIONS THAT ARE FOUND DURING THE WARRANTY PERIOD OF THE CONTRACT SHALL BE COMPLETED BY THE CONTRACTOR AND SHALL BE PAID THE AMOUNT SET OUT ON PAGE 2 OF THE "FORM OF TENDER". NO ADDITIONAL PAYMENT FOR MOBILIZATION WILL BE ALLOWED. THE CONTRACTOR IS NOT RESPONSIBLE FOR COMPLETING MISSED TILE CONNECTIONS THAT ARE FOUND AFTER THE WARRANTY PERIOD FOR THE CONTRACT HAS EXPIRED.
b) ALL TILE CONNECTIONS TO BE MADE WITH CORING MACHINE AND PLASTIC ADAPTOR OR PREFABRICATED FITTINGS.
c) THE CONTRACTOR SHALL SUPPLY THE ENGINEER WITH A LIST SHOWING STATIONS OF ALL TILE CONNECTIONS UPON COMPLETION OF CONSTRUCTION.

NORTH STREET DRAIN			
Municipality of Bayham			
Drainage Superintendent: STEVE ADAMS 519 - 866 - 5521		No.	REVISIONS DATE
Drawn By: MM Date: SEPT. 20, 2024		Field Book T.S. / C.J.D.L.	JOB No. 224032 Drawing No. 1 of 5
PLAN, DETAILS & NOTES			
SPRIET ASSOCIATES LONDON CONSULTING ENGINEERS 155 YORK STREET - LONDON (519) 672-4100 - NEA 148			

